



### HORION M3A 55", 65", 75", 86", 98" Touch LCD Display

Screen Type: Light Emitting Diode (LED) LG panel  
 Infrared (IR) Sensing Technology  
 20 Touch Points, **1mm touch detection response**  
 Native Resolution – 3840 x 2160  
 Brightness 450 cd/m2  
 Response Time: 8ms  
 Aspect Ratio: 16:9  
 Contrast Ratio : 1200:1  
 Built in speaker 12W x 2  
 HDMI in - x 2  
 HDMI out - x1  
 VGA in - x 1  
 Universal Serial Bus (USB) Port x 4  
 Dual WiFi  
 Lifespan: more than 30000 hours  
 Power Requirements - 100 - 240V

#### **Built in Android OS (Version 8.0)**

CPU: ARM A73+A53, 1.5 GHz, Quadcore, Mali-G51  
 RAM: 3GB, 32GB

#### **INCLUDED:**

- x1 HT-2 USB wireless mirroring dongle
- x1 HP-2 Smart Pen
- x2 Magnetic Pen
- x1 wall mount bracket

#### **3 years warranty**

#### **HORION main selling points:**

HORION is the only touch LCD display board on the market with the following features:

- 1) The latest Android version 8.0
- 2) 1mm touch detection response
- 3) The latest thin LCD depth and thin frame design
- 4) Dual wifi wireless function
- 5) Wireless USB dongle function
- 6) Free x1 Wireless USB dongle, x1 Smart pen
- 7) HORION is the house brand for one the worlds largest Touch LCD display manufacturers in the World

### MAIN FEATURES

- Portrait or Landscape rotate function
- Whiteboard QR code screen capture sharing
- Whiteboard printing function
- Whiteboard Video Conferencing & Whiteboard Sharing (Video conferencing requires web cam with mic and or conferencing speakerphone). Supports up to 10 participants Horion simultaneously
- Office Reader
- Chrome web browser
- Zoom video conferencing app compatible
- Wireless casting with on screen host control (exclusive to Horion)
- Screen recording
- Custom start up logo
- Custom start up source (VGA, HDMI 1, HDMI 2)
- Bluetooth file transfer from mobile devices or laptop

### INCLUDED



HT-2 SMART PEN



HP-2 WIRELESS USB DONGLE

# HORION M3A 55", 65", 75", 86", 98" Touch Interactive

## THINNER

The sinking height is reduced to 7mm

## FASTER

CPU ARCHITECTURE:  
ARM CORTEX A73 + A53  
3G RUNNING  
MEMORY+32G STORAGE  
ANDROID 8.0

## SMARTER

Smart touch pen writing,  
1mm detection precision,  
20 points touch control,  
Special writing pen,  
Android quad screen

Latest generation thin screen with narrow bezel

SCREEN  
MIRRORING  
DEVICE

## Thin body, narrow bezel

Classical narrow bezel, 7mm depth of cushion, and built-in WIFI antenna, provide a wide view.

# Fine writing

1mm detection precision +  
20 points touch control

M3A brand new writing software, 1mm detection precision, single-point/multi-point writing modes. Two writing modes available, intelligent handwriting algorithm, refined strokes to deliver amazing writing experience.



1mm precision is like writing pen  
to paper


Infinity whiteboard, unlimited  
virtual whiteboard space

Annotate on any presentation

QR code sharing or convert your  
annotation to image file

Scan code sharing, convenient and fast

The whiteboard and the annotation content can be generated code by one-button, and scan code can take away the meeting minutes.



## Smart Touch Pen

Two writing modes available  
10-points or calligraphy

- One point touch to write
- Two points touch to zoom
- Erase with the back of your hand
- Multi-point touch to move
- Annotate as you like



Erase with the back  
of your hand

4 wireless presentations on one screen

# Wireless screen mirroring Easy to share


The Horion interactive flat panel supports screen mirroring with computer, mobile phone and tablet to facilitate better conference display, information sharing and communication. Split the screen into 4 identical parts to display contents from multiple devices. With this way multiple users and devices can use interactive flat panel at the same time.

Presenter can control who presents via wireless admin control panel on Touch LCD panel directly

Wireless mirroring function includes not only image mirroring but touch and audio as well



Dual wifi built in for wifi infrastructure mode and wifi ad hoc connection at the same time so that guests can connect to HORION board without logging into your company secured network



 AirPlay




Mirroring PC, tablet and mobile phone to interactive flat panel

Wireless mirroring capability for all platform and devices

# Whiteboard Collaboration

With Horion IFP, it can help you achieve the remote video conference, the writing and annotation on the whiteboard can be transmitted to the other Horion IFP in different places simultaneously.

## Video conferencing & Collaboration



Both parties are able to not only able to videoconference but also share content on whiteboard and both parties also write on the whiteboard at the same time

## LG 4K screen

For 4K ultra-high-definition screen, LG IPS is the best choice as it comes with high contrast and wide color gamut. The fifth generation color engine chip presents you with more natural picture quality.



Scratch resistant Gorilla glass

# Anti-glare screen, no need to pull curtains

The tempered glass with AG film effectively eliminates strong glare and clearly presents screen content, just to provide you with a wonderful visual experience.



## New firmware Version Available!

OTA firmware free updates. Horion operating systems keeps getting updated regularly to improve the operating system and also to add new features and functionality. Owning a Horion board just keeps getting better and better.

## Custom user start up logo

Your Corporate  
or School Logo



## Built-in rich applications

New welcome interface, add scene style, background music, signature wall; built-in WPS, voter, calendar, spotlight and other software to meet the needs of the conference.



WPS



Screen Mirror



Vote Kit



Feedback



System update



Agenda time



Instructions



Gallery



File Manager



Welcome Page



Calendar



SolMail



Search




Browser


.....

# WHITEBOARD VIDEO CONFERENCING & COLLABORATION


- Supports up to a maximum of 10 units Horion M3A board to join the meeting simultaneously.
- Video conferencing requires Horion Camera and Microphone equipment
- The host starts meeting on Horion whiteboard
- Then provides meeting ID for other Horion boards to join the meeting



**Click on whiteboard icon located on bottom left side of the whiteboard**




**Click on Start Meeting to host screen video conferencing and collaboration function**



**Share with up to 10 Horion whiteboard users Meeting ID code to join host screen**

(Other Horion board users have to be on same network or have internet access anywhere else in the world. Video Conferencing and collaboration performance is subject to network or internet bandwidth performance)

# ADVANCE WIRLESS MIRRORING WITH ON SCREEN HOST CONTROL



Single device mirroring



Two devices mirroring




Three devices mirroring

Four devices mirroring

On screen display shows how many users are logged on

**Corner on screen display host control menu allows host to control which user to enlarge and show as full screen**



**Close up of host control menu**




**Close up of 1of 4 user screen, which host either can either remove or enlarge to full screen and control if volume is on or muted**



# Multiple sizes available

**3** YEARS  
Warranty



**55**  
inches

Width 13mm \* height 771mm  
Suitable for 1-5 people  
10m<sup>2</sup> or smaller meeting room

**65**  
inches

Width 1519mm \* height 895mm  
Suitable for up to 10 people  
8-15m<sup>2</sup> meeting room

**75**  
inches

Width 1745mm \* height 1024mm  
Suitable for 10-15 people  
15-25m<sup>2</sup> meeting room

**86**  
inches

Width 1998mm \* height 1169mm  
Suitable for 15-25 people  
25-50m<sup>2</sup> meeting room


**98**  
inches

Width 2242mm \* height 1298mm  
Suitable for 25-40 people  
50-80m<sup>2</sup> meeting room


## Packing list



Interactive flat panel



Wall mount kit



New writing pen



Smart pen



Screen mirroring device



U disk



remote control



AC power cord



HDMI cable



TOUCH-USB cable



USB extension cable



Warranty card  
/ Manual

# HORION M4

## PREMIUM ALL-IN-ONE TOUCH LCD WITH BUILT IN VIDEO CONFERENCEING SYSTEM



Built in 4K UHD webcam



Built in 8 microphone array



### **HORION M4 65" Touch LCD Display with Built 4K UHD webcam and 8 point array microphone**

Screen Type: Light Emitting Diode (LED) LG panel  
 Infrared (IR) Sensing Technology  
 20 Touch Points, 1mm touch detection response  
 Max.resolution : 3840x2160 (4K), Panel Brand: LG  
 Brightness 350 cd/m2  
 Response Time: 8ms  
 Aspect Ratio: 16:9  
 Contrast Ratio : 1200:1

Camera 13 Million Mega Pixel 4K UHD, Auto focus, 75° viewing angle  
 Microphone array x 8 Omnidirectional Mic, Angle of Coverage 180°, Distance of coverage up to 8M,  
 Sensitivity -38db

Built in speaker 15W x 2, Bass speaker 15W x 1

HDMI in - x 3  
 HDMI out - x1  
 VGA in - x 1  
 Universal Serial Bus (USB) Port x 4  
 Dual WiFi  
 Lifespan: more than 30,000 hours  
 Power Requirements - 100 - 240V

Built in Android OS (Version 8.0)

CPU: ARM A73+A53, 1.5 GHz, Quadcore, Mali-G51

**RAM: 3GB, 64GB**

#### **INCLUDED:**

- x1 HT-2 USB wireless mirroring dongle
- x1 HP-3 Smart Pen
- x2 Magnetic Pen
- x1 wall mount bracket

**3 years warranty**

#### **MAIN FEATURES**

- Portrait or Landscape rotate function
- Whiteboard QR code screen capture sharing
- Whiteboard printing function
- Whiteboard Video Conferencing & Whiteboard Sharing (Video conferencing requires web cam with mic and or conferencing speakerphone). Supports up to 10 participants Horion simultaneously
- Office Reader
- Chrome web browser
- Zoom video conferencing app compatible
- Wireless casting with on screen host control (exclusive to Horion)
- Screen recording
- Custom start up logo
- Custom start up source (VGA, HDMI 1, HDMI 2)
- Bluetooth file transfer from mobile devices or laptop

#### **HORION main selling points:**







HORION is the only touch LCD display board on the market with the following features:

- 1) The latest Android version 8.0
- 2) 1mm touch detection response
- 3) The latest thin LCD depth and thin frame design
- 4) Dual wifi wireless function
- 5) Wireless USB dongle function
- 6) Free x1 Wireless USB dongle, x1 Smart pen
- 7) HORION is the house brand for one the worlds largest Touch LCD display manufacturers in the World

**HORION M4 75" Touch LCD Display with Built 4K webcam and array microphone**

**HORION M4 86" Touch LCD Display with Built 4K webcam and array microphone**

# ACCESSORIES

<p><b>INCLUDED</b></p> 	<p><b>ORION HT-2 wireless mirroring USB dongle</b>  System Requirement: Window 7/8/8.1/10, Android 5.0 and above, iOS 9.0 and above, Mac OS10.8 and above  Transmission Delay &lt; 150ms, Typical Value: 120ms  Power Consumption: DC 5V/500mA  Frequency: 5GHz/2.4GHz  RAM: 3G DDR4; ROM: 32GB Standard;  Wireless Transmission Protocol: 802.11 a/ac/b/g/n  Connection Interface: USB 2.0/3.0  Working Band: 5G (2.4G compatible)  Resolution: Maximum 1080P  Frame Rate: Maximum 30fps  Transmission Distance: &gt; 15m@1080P  Product Size (L*W*H) (L*W*H): 184.6mmX75mmX17.9mm</p>
<p><b>INCLUDED</b></p> 	<p><b>HORION HP-2 Smart Pen</b>  Wireless Technology: 2.4GHz, Operating distance of 15 meters  USB Interface: USB 3.0/2.0/1.1  Power Supply &amp; Voltage: 200mAh Lithium Battery, 3.7-4.2V  System Requirements: Windows 8/7/Vista/2000/XP, Mac OS10.0, Android 4.0 and above;  Android/Linux/Mac OS only Support Flying Mouse and Page UP and Down Function  Product Size (L*W*H): 153.8mmX17.3mmX15.2mm</p>
<p><b>INCLUDED</b></p> 	<p><b>HORION LCD Display Wall Bracket</b>  Heavy duty wall bracket for 55", 65", 75", 85", 98" LCD display</p>
<p><b>INCLUDED</b></p> 	<p><b>HORION HP-3 Smart Pen</b>  Wireless Technology: 2.4GHz, Operating distance of 15 meters  USB Interface: USB 3.0/2.0/1.1  Power Supply &amp; Voltage: 200mAh Lithium Battery, 3.7-4.2V  System Requirements: Windows 8/7/Vista/2000/XP, Mac OS10.0, Android 4.0 and above;  Android/Linux/Mac OS only Support Flying Mouse and Page UP and Down Function  Product Size (L*W*H): 153.8mmX17.3mmX15.2mm</p>
	<p><b>HOPS – i57WAB OPS slot in Windows PC</b>  Intel Core i5 7400  Intel socket 1151 Support: Kabylake  Intel H110 Express  4GB RAM  SSD 128G  LAN: 10/100/1000M Adaption  Wifi: IEEE 802.11 AC(2.4G/5G)  Bluetooth 4.2  1x HDMI, 1x DP Interface  Windows 10 Professional 64 bit activated</p>
	<p><b>OPSC01 i7 7700 8G 256G OPS slot in Windows PC</b>  Intel CoreTMI i7 7700 3.60GHz  Intel socket 1151 Support: Kabylake  Intel H110 Express  8GB RAM  SSD 256G  Intel core graphics card 630  LAN: 10/100/1000M Adaption  Wifi: IEEE 802.11 AC(2.4G/5G)  1x HDMI, 1x DP, 1x VGA Interface  Windows 10 Professional 64 bit activated</p>



**HORION HC-3 Camera**  
 8.5mp camera 4K  
 X2 zoom  
 118 degree viewing angle  
 USB 3.0



**HORION HM-3 Wireless Speaker Microphone**  
 Bluetooth version 4.1  
 4 microphone array, 360 coverage  
 Mic coverage distance: up to 8m  
 Battery: 2600mAh  
 Up to 10 hours battery life  
 Wireless USB dongle for mic and speaker audio



**HORION HC-M Camera with built-in microphone**  
 8.5mp camera 4K  
 X2 zoom  
 118 degree viewing angle  
 USB 3.0  
 Built in dual array microphone



**HORION HC-Pro PTZ Camera**  
 1/2.8 inch 5MP image sensor, 1080p Full HD  
 advanced Ambarella DSP  
 62.5degree FOV optical lens  
 10X Optical Zoom + 12XDigital Zoom  
 118 degree viewing angle  
 USB 2.0  
 Up to 128 presets




**AV-LOGIC H800 4K UHD PTZ Conference Camera**  
 1/2.5" 4K CMOS Sensor  
 8M Pixels  
 Digital Zoom 5X  
 H264 / MJPG 3840\*2160@30fps  
 YUV2 1920X1080@30fps  
 FOV 110°(D)/105°(H)/85°(V)  
 USB3.0  
 Size L330mm\*W92.5mm\*H122mm



**HK70 product parameters**

<b>Model</b>	HK70 (fit 55-75 inch flat panel)	<b>Caster size</b>	5.08cm
<b>Material</b>	High quality carbon steel tempered glass	<b>Product size</b>	1606*1080*580mm
<b>Color</b>	Gun gray, silver	<b>Package size</b>	1603*750*160mm
<b>Load</b>	100KG	<b>Net weight</b>	48±0.5KG
<b>Hole distance</b>	194.5-180MM	<b>Gross weight</b>	52±0.5KG




**HK-90 Mobile TV stand**  
 86"-98", Max. Load Bearing: 260KG



**AV-LOGIC LCD MONITOR STAND AVL-KLC181**  
 TV Size 55-80 inch, Conference Camera mount  
 Max capacity 90.9kg  
 Tray capacity 11.4kg  
 Vesa 200\*200~800\*500  
 Adjustable height 1350-1650mm  
 Net Weight 28.9kg  
 Gross Weight 31.8kg



**AV-LOGIC AVL-RED-718-4**  
 Horizontal Vertical rotating mounting movable TV Trolley Stand  
**Suitable for 32-65inches Smart Board**  
 Max Bearing Weight: 45KG  
 Installation Hole: 600\*400mm below  
 Material: Aviation Aluminium & High Tensile Steel  
 Color: Black  
 Lifted by electric motor 90degree Flip  
 Control Mode: Remote, Cable



**AV-LOGIC AVL-ZR-HS65**  
 Horizontal Vertical Rotatable TV wall mount  
 Suitable for 32-65inches Smart Board  
 Max Bearing Weight: 50KG  
 Installation Hole: 600\*400mm below  
 Material: Aviation Aluminium & High Tensile Steel  
 Color: Black  
**Lifted by electric motor 90degree Flip**  
 Control Mode: Flip 90Degree



**AV-LOGIC LCD MONITOR STAND AVL-AF100**  
**TV Size 60-100 inch, Conference Camera mount**  
 Vesa 200\*200~1000\*600  
 Max load 136.4kg  
 Max Tray load 4.5kg  
 Adjustable Height 1400-1725mm  
 Materials SPCC steel plate, Aluminium alloy  
 Net Weight 48kg  
 Gross Weight 42.9kg

Electric up and down



**AV-LOGIC ZR-W100**  
 Electric motorized up and down electric stand TV stand  
**Display Size: 32"-75"**  
 Max Load: 80 KG  
 Adjustable Height: 600-1250mm  
 Power supply: 100V-240V

Electric up and down + table top



**AV-LOGIC AV-ZR-680**

Electric motorized 90 degree table top flip and up down electric stand TV stand


**Display Size: 32"-75"**

Max Load: 80 KG

Tilt: 0°-90°


Adjustable Height: 600-1250mm

Power supply: 100V-240V



Electric up and down + rotate

**Rotatable TV stand**



**AV-LOGIC RED-SF**

Electric motorized rotatable with up and down electric stand TV stand

Suitable for 32-65inches Smart Board

Max Bearing Weight: 45KG

Material: Aviation Aluminium & High Tensile Steel

Color: Black


Electric motor: Rotate 90 CW, Lifted up and down

Remote Control



**AV-LOGIC AVL-WP-777**

Heavy duty double arm landscape swivel wall mount bracket for 65"- 98" LCD display  
Max weight up to 120kg



**AV-LOGIC AVL-WP-778**

Heavy duty double arm portrait swivel wall mount bracket for 65"- 98" LCD display  
Max weight up to 120kg



**AV-LOGIC LCD TV COVER PROTECTOR**

TV Size 55-65 inch

Water proof heavy duty nylon material







# HT-2 wireless screen mirroring device

Boost your image

Wireless screen mirroring, convenient and fast

(Exclusive for Horion super interactive flat panel)



# One-tap content sharing, easy cross-screen interaction



Transfer files such as PPT, Word and Excel and more from the computer to the interactive flat panel.



Wireless mirroring function includes not only image mirroring but touch and audio as well

## Product display



Side

Back

Front

## Product specification

Item	Description
Model:	HT - 2
Color:	Black
Protocol:	Custom
Applicable to:	AirPlay business, teaching
WiFi frequency:	5.8G/2.4G dual frequency (hardware router module)
Bandwidth:	25G (hardware router module)
Typical mouse delay:	<55ms
Average disconnection rate:	less than once per 3h (hardware router module)
Transmission distance :	>15m@1080P
How it works:	Insert it into the computer and it automatically starts the software and connects to the meeting assistant. Then tap it to get started.
Input resolution:	1024*768 1280*720 1920*1080
Capacity:	>50 WiFi terminals
Android :	Android 5.0 and above smart devices
IOS:	IOS 9. 0 and above
Mac OS:	IOS Mac OSX 10.6/10.7/10.8/10.9
Lossless video transmission:	Max 1080P
Transmission mode:	Screen mirroring mode / movie mode
Connection priority:	A new device connected may push out the previous one (excluding the case where the 2 devices are both IS devices)OTA upgrade
Size:	184.6*75*17.9mm

Ideal for wireless mirroring for guest PCs as they do not need to logon your secured network to do wireless presentation

**Horion**

## Exclusive Smart pen for interactive flat panel

- Smart flying mouse
- Wireless cursor
- Voice input
- 3 key design
- Built-in lithium electricity



**AIR MOUSE**

## Easy to write Enjoy a smart conference

Innovative smart pen, serve as remote control & pen, four in one design (receiver, mouse, page turning pen, whiteboard pen).



## Intelligent flying mouse for remote control

2.4GHz wireless transmission technology, receive signals from any direction, 10m remote control.



**Built in microphone**

## Voice input

Long press the Page Down button to activate voice input when you use WeChat, QQ, or voice search function.

## Cursor control, tap to use

It works as a wireless mouse if a USB receiver is connected. Then you can easily turn pages, open links, play or pause video, etc.



### 3 key design for simple operation

Just 3 keys, simple but powerful. You no longer need to worry that you may press the wrong key.

Page Down key (one click to turn to the next page)

Left mouse button (one click)/ Cursor function (long press for 2s to enable flying mouse, and release to exit)


LED blue light

Pen tip (to write on super interactive flat panel)

Page Up key (one click to turn to the previous page)  
Exit full screen (long press for 2s)

Microphone

Receiver (plug into USB interface on interactive flat panel)



**Built-in lithium battery** Quick charge

200mAh large capacity lithium battery lasts longer.

## Compatible with multiple systems

Windows 7/8/Vista/2000/XP, Mac OS 10.0, Android 4.0 and above. For Android/Linux/Mac OS, only the flying mouse and page turning functions are




### Fine workmanship, comfortable to hold

Silicone pen body, streamline design, small and easy to carry.



### Rapid response and fine writing

Semicircle nano pen tip, moderate hardness to protect the screen; smooth writing with delicate strokes, high sensitivity and fast



# TELECONFERENCING



**HORION HC-3  
Camera**  
8.5mp camera 4K  
X2 zoom  
118 degree viewing  
angle



**HORION HM-3 Wireless  
Speaker Microphone**  
Bluetooth version 4.1  
4 microphone array, 360  
coverage  
Mic coverage distance: up  
to 8m  
Battery: 2600mAh  
Up to 10 hours battery life  
Wireless USB dongle for  
mic and speaker audio

 Microsoft Teams

 skype

 BlueJeans

 GoToMeeting



Cisco  
 webex

 zoom



## Horion HM-3 Intelligent omnidirectional microphone

Exclusive for Horion super interactive flat panel



Sound localization



360° sound collection



Bluetooth connection



Super-long standby




Noise suppression



3.5 mm interface

## True 360° all direction sound collection

8m sound collection from all directions, suitable for most enterprise conferences



## Clear voice comes from good speakers

The voice is rich in details. While playing music, the three frequencies are balanced and the bass is enhanced.



## Bluetooth 4.1

Compatible with most devices on the market

Bluetooth 4.1

30m

Bluetooth connection distance



## 10 Hours

Duration lasts long

Built-in 2600mh lithium battery, one month long standby



## Portable

One button to power on



Long press for 3s to power off. If ON, short press to display the battery.

### Specific parameters:

Bluetooth version: 4.1

Sound collection range: 360°

Distance: 1-8 m

Duration: 10 hours

Maximum output power: 1W

SNR rated power: >70dB

Battery: 2600mAh

4 microphone array

Appearance: Dimensions: 0125mm\*35mm

Packing list: Microphone \* 1, Micro USB cable \* 1, audio cable \* 1, quick guide \*1, instruction manual \* 1

Exclusive for Horizon super interactive flat panel

## Enjoy high definition cloud meeting


VERTICAL HD CLOUD CONFERENCE

HC - 3 camera



## HD lenses, excellent picture quality

High quality 12MP prime lens for high quality image. Professional DSP digital signal processing, 1/2.5 inch 8.51 million image sensor to offer amazing visual experience.



## 2x zoom, 2D noise reduction

2x zoom to clearly present objects in the distance; 2D noise reduction algorithm to produce nice picture



## 118° wide viewing angle to show you more

The 118° viewing angle ensures depth of the picture while eliminating distortion, to meet the needs of a variety of meeting scenarios.




# Simple but powerful

Unique automatic sound localization technology and user friendly light indication help greatly improve communication efficiency.




**HORION HC-3 Camera**  
8.5mp camera 4K  
X2 zoom  
118 degree viewing angle



**HORION HM-3 Wireless Speaker Microphone**  
Bluetooth version 4.1  
4 microphone array, 360 coverage  
Mic coverage distance: up to 8m  
Battery: 2600mAh  
Up to 10 hours battery life  
Wireless USB dongle for mic and speaker audio

## Applicable to various software

Compatible with Windows, Mac, Android, Linux and other mainstream systems, support most video conference software.



## USB drive free

USB drive free HD digital transmission interface, plug and play

## Product parameters

**Product model**  
HC-3

**Video interface**  
USB3.0

**Optical zoom**  
focus

**SNR**  
> 50dB

**horizontal viewing angle**  
110°

**Focal length**  
f=2.22mm

**Sensor pixel**  
8.5M (851万)

**Minimum illumination**  
0.1 lux

**Interface control**  
194.5\*180mm

**White balance**  
Automatic/manual/  
indoor/outdoor

**Focus**  
f=2.22mm

**White balance**  
Electronic shutter

**Aperture**  
F2.4

**Size**  
118.5\*88.5\*63.5mm